



mood



Distinctive features



SCS technology (Smart Chimney System) for forced removal of humidity.



Multi-function digital display with **YesClima function**.



Core probe with external link to the cooking chamber.



mood.



Model	YMDGN11-7D
Capacity	7 trays GN 1/1
Pitch	70 mm
Dimensions mm (LxDxH)	830x890x890
Weight (kg)	102 kg
Termic Power	---
Power	11 KW
Voltage	380-415 V / 3 N
IP protection level	IPX 4



Model	YMDGN11-11D
Capacity	11 trays GN 1/1
Pitch	70 mm
Dimensions mm (LxDxH)	830x890x1170
Weight (kg)	132 kg
Termic Power	---
Power	16 KW
Voltage	380-415 V / 3 N
IP protection level	IPX 4

Main features

- ☐ Convection, combi and steam cooking with Fixed Time or Core Probe function
- ☐ Temperature settable from 30° to 280°
- ☐ Manual and/or programmed cooking mode
- ☐ Data storage for the saving of programs
- ☐ Rapid display of free and in use slots
- ☐ Manual or automatic pre-heating mode settable up to 280°c
- ☐ Possibility to save up to 5 cooking phases per program
- ☐ Multi-function digital display with YesClima function
- ☐ Possibility to modify cooking parameters during the cycle in operation
- ☐ Instant display of set cooking parameters
- ☐ Alarms display with autodiagnosis system
- ☐ Special cycles: Rapid cooking chamber cool-down, Time extension at the end of the cooking and Rapid cancellation of memorized recipes
- ☐ Manual humidity supply function
- ☐ Fast Steam Technology for immediate steam generation
- ☐ Automatic SCS Technology (Smart Chimney System) for forced removal of humidity
- ☐ Settable ventilation speeds (3) + pulse speed with automatic inversion of fans rotation
- ☐ 304 stainless steel molded cooking chamber
- ☐ Ergonomic and lightweight handle compliant with HACCP standards
- ☐ Simply-removable control panel
- ☐ Simply-approachable motor compartment
- ☐ Integrated humidity collector aisle
- ☐ Core probe with external link to the cooking chamber
- ☐ Integrated syphon
- ☐ Adjustable feet
- ☐ Simply-removable rack holder
- ☐ Double glass door of easy inspection with high thermic insulation and Safety Fanstop system when the door is open
- ☐ Halogen inner lamps in the cooking chamber